

2014-2-28

## ZAJ300

### LARGE EXPLOSION PROOF BOX FOR FIBER OPTICAL TRANSCEIVER / POWER KIT



#### MAIN FEATURES

- Carbon Steel or stainless steel 304 or 316L
- optional corrosion resistant paint finish against deterioration
- IP68
- With G3/4 , threaded holes for cable connection
- it's applicable for temperature -25°C-60°C (-13°F to 140 °F)
- Installation in outdoor, petrochemical, high corrosive environment.
- CNEX certificate no.:CNEx 12.0005
- can load surge protection kit, power converter kit, fiber optical transceiver



ZAJ300

Model	ZAJ300-S	ZAJ300-Q
Atmospheric pressure	80KPa~106Kpa	
Ambinet temperature	-25°C ~ 60°C (-13°F to 140 °F)	
Relative Humidity	≤ 95% (+25°C)	
Certifications	CNEX: Exd II CT6, DIP A20 TA, T6	
Ingress Protection	IP68	IP68
Package dimension	Φ326*175mm	Φ326*175mm
linner size	Φ234*119mm	Φ234*119mm
Material	SS304	Carbon Steel
ALL-IN-ONE surge arrester	optional	optional
power converter	optional	optional
fiber converter	optional	optional
Number of Threaded holes	6 holes	4 holes
threaded hole	G3/4	G3/4
weight	14.7kg	14.7kg



specifications subject to change without notice.© ZUO AN all rights reserved.

skype: cookee.lee

tel +86-15295033359